Buyer Initials	
Contractor Initials	



Landmark Real Estate & Dev., Inc. 320 Main Ave., Suite 300, De Pere, WI 54115 Phone: 920.337.9566 Fax: 920.337.9568

BUILDING CONSTRUCTION SPECIFICATIONS

DATE:	JOB NUMBER:
BUYER NAME:	
LOCATION OF PROPERTY:	
1. UTILITIES AND	PERMITS
Allowance for building permit , sanitary permit , land use pe sewer hook up fees and impact fees as set forth by the municipal services and impact fees as set forth by the municipal services.	
The buyer shall be responsible for any expense incurred in winter frost charges and electrical disconnect.	the extension of gas and electrical service including
2. EXCAVATION AND LO	T PREPARATION
The contractor shall provide all necessary excavating and rouge excess fill is to be hauled away, shall be the buyer's or frame additional black dirt other than what is on the lot at the incurred by the buyer. The buyer shall provide finish grading, materials for total excavating, grading and trucking shall be	contractor's (check appropriate box) responsibility. time of construction is needed, the expense shall be sod and landscaping. Allowance including labor and
Buyer shall furnish exposed lot line stakes or shall assume ar property stakes.	ny cost associated with location or replacing surveyed
Allowance for lot preparation for tree removal, excess fill, regravel road or driveway is provided by contractor, shall be \$\sqrt{5}\$ shall be \$\frac{\$OWNER}{2}\$.	etaining walls, etc., shall be <u>\$</u> . The allowance if The allowance if the culvert is to be installed,
Allowance including labor and materials for storm sewer later	ral shall be <u>\$NA</u> .
Allowance including labor and materials for sewer and water	lateral shall be \$NA.
Allowance including labor and materials for downspout pipin	g shall be <u>\$NA</u> .
Allowance including labor and materials for non-point so mandate, shall be \$NA .	urce erosion control, as defined by a Wisconsin

Buyer Initials	
Contractor Initials	

shall be

A rough grade will be established by using mechanical equipment. The grader will slope the terrain to provide drainage away from the foundation, in such a way to indicate approximate grades at the building. The contractor shall not be responsible for any settling of ground. It is the buyer's responsibility to promptly follow through with the final grading and landscaping and to maintain a positive slope away from the foundation (6" down for every 10' from the foundation), including refilling any settled, backfilled and trenched areas. Lack of proper maintenance may cause foundation failure that will not be covered by the Contractor's warranty.

Expenses incurred because of soil conditions such as quick sand, rock, trees, frost, including necessity for additional excavating, providing fill or cutting of lot, grading, removal of excess ground, additional footings, reinforcing, piers, additional depth of foundation wall, pumping, waterproofing of basement or diversion of water because of springs, wells, seepage, and underground drainage shall be paid by Buyer.

3. BASEMENT WALLS AND FOOTINGS

Ready mixed concrete shall be used in all footings. Basement walls shall be \boxtimes poured; \square block; \square or other construction.
Width of basement walls as per plan. Basement walls shall have one coat of waterproofing. Drain tile sh installed both inside and outside of walls.
Basement wall heights shall be 8'
Garage, porches and unexcavated areas, the wall height shall be 4'
Number of basement windows; storm windows
Basement access door
Window drains ☐ shall be; ☐ shall not be installed.
Basement exterior insulation
Foundation skirting
Concrete pumping; allowance \$; buyer's expense
4. FRAMING SPECIFICATIONS
Beams shall be the size shown on the plan and of 🖾 wood 🗌 laminated 🔲 steel construction.
Steel ⊠ adjustable posts; ☐ fixed posts
Bearing walls
First floor joists to be 2X10, placed 16" on center.
Second floor joists to be, placed" on center.
Studs (exterior) shall be 2 x 4; 2 x 6, 16" on center.
Studs (exterior) garage shall be ⊠ 2 x 4; □ 2 x 6, 16'" on center.

	Buyer Initials Contractor Initials_
Studs (interior) shall be ⊠ 2 x 4; □ 2 x 6, <u>16'"</u> on center.	
Air infiltration bearer <u>TYVEK</u> ; type	
Sub flooring shall be 3/4 OSB	
Wall sheathing shall be <u>7/16 OSB</u>	
Roof trusses shall be used \underline{X}	
Conventional framed rafters shall be used	
Roof sheathing shall be <u>7/16 OSB</u>	
Ceiling height shall be	
All of the following checked items shall be included:	
Vaulted ceiling	
Cathedral ceiling	
Tray ceiling	
Sunken room	
Arched opening	
Allowance for crane rental shall be \$	
5. GARAGE	
Overhead door #1 – Type ALUMINUM; size <u>16 X 7;</u> ⊠ clad frame Garage door opener ⊠ shall be ☐ shall not be installed. ☐ Keyless entr	y provided.
Overhead door #2 – Type; size; [] clad frame Garage door opener [] shall be [] shall not be installed. [] Keyless entr	y provided.
Overhead door #3 Type; size; ☐ clad frame Garage door opener ☐ shall be ☐ shall not be installed. ☐ Keyless entr	y provided.
Garage wall finish shall be <u>1/2 ROCK GARAGE TO HOUSE</u>	
Garage ceiling finish shall be <u>5/8 ROCK</u>	•

Garage storage shelves _____

Guard rail for garage stairs to basement

Garage disappearing attic stairs _____

	Buyer Initials Contractor Initials
Plywood in garage attic	
Other	
6. WINDOWS AND ENTRY DOORS	
WINDOWS	
Brand ANDERSON	
☐ Casement; ☐ double hung; ☑ single hung; ☐ other	
☐ Primed; ☐ clad; ⊠ vinyl; Color <u>TBD</u>	
Glazing	
Hardware; Type Style	
Screens; Type Style	
Storms; Type Style	
Window grills; ☐ All windows; ⊠ front only; ☐ between glass; ☐ outside glass Type Style	
Special window units	
Skylights	
ENTRY DOORS	
Allowance including labor and materials for front entry system shall be \S ; $oxtimes$ clad fran	ne; 🛭 dead bolt
Home to garage entry <u>TAYLOR</u> ; ⊠ clad frame; ☐ dead bolt	
Patio doors <u>ANDERSON;</u> hinged; sliders; grills; hardware _	p. aprilia property and a second
Rear entry;	
Garage service entry <u>TWO TAYLOR</u> ;	
Basement entry;	
Storm doors	
7. FLAT WORK	

Patio size ____ sq. ft.

Sidewalks shall be from front door to **DRIVEWAY** and from garage service door to _____

	Buyer Initials Contractor Initials
Walks, service entry slabs shall have a total square footage of 16	
Driveway shall be $\underline{20}$ ft. wide and $\underline{30}$ ft. in length or total square footage of $\underline{600}$	
3 rd stall shall beft. wide andft. in length or total square footage of	
Allowance including labor and materials for flatwork on grade shall be \$	
Porches as per plan.	
Type of reinforcement and location 1/2 RE-BAR @ 30" ON CENTER	
Sealer and location	
Fiber mesh and location	
8. EXTERIOR SPECIFICATIONS	
ROOFING	
Allowance for roofing material shall be \$45 per square, laid over 15# felt.	
Type of roof flashing and edging ALUMINUM	
Attic ventilation shall be PROPER VENTS WITH VENTED RIDGE	
Proud gables	
Beams under overhang	
Cupola	
SHEET METAL	
Gutters and downspouts shall be aluminum; color <u>TBD;</u> Gutter covering	
Proper metal flashing installed where necessary; ⊠ aluminum; ☐ copper; ☐ galvanized	
SIDING AND SOFFIT	
Allowance for siding material per square not including trim and corners, for <u>VINYL</u> (typ	e) siding only shall be
Corner post shall be <u>VINYL</u>	
Stucco; type, style, color	
E.I.F.S. (synthetic stucco); type, style, color	
Exterior window arches; type, style	
Front door surround; type, style	

⊠ Shutter; type <u>VINYL</u> , style ☐ All windows; ⊠ front only; ☐ or other
Soffit and fascia shall be ☐ wood; ⊠ aluminum; ☐ vinyl; ☐ other
Width of fascia <u>6"</u>
Exterior wrought iron
Porch railing and special trim
Other special exterior trims
DECK
Deck shall be constructed of
Railing shall be constructed of
Allowance including labor and materials for deck and railing shall be \$
9. MASONRY
EXTERIOR:
Allowance including labor and material for brick shall be \$ based on (# of) brick per square foot and a cost of \$ per thousand brick.
Allowance including labor and material for stone shall be <u>\$</u> based on cost of <u>\$</u> per ton.
Sills shall be 🗌 brick; 🗌 stone
Colored mortar is extra and the cost varies depending on color.
Exterior fireplace chimney or chase shall be
Allowance including labor and material for paver brick shall be \$
Address stone;
Quoin Corners; Decorative arches
Specialty items
INTERIOR
FIREPLACE #1
☐ Masonry; ☐ metal insert with fans; ☐ firebrick
Allowance including labor and material for brick shall be \$ based on (# of) brick per square foot and a

Buyer Initials _____ Contractor Initials_

Buyer Initials Contractor Initials
cost of \$ per thousand brick.
Allowance including labor and material for stone shall be \$ based on cost of \$ per ton.
Zero clearance, name & model # with fans & fresh air intake; wood burning, name & model #; gas log
Colored mortar per sq. ft.; white mortar per sq. ft.
Size of fire pit and face width as per plan.
Face shall be brick; stone; marble
Hearth 🗌 raised; 🔲 on floor. Hearth material shall be
Type of mantel; Allowance including labor and material shall be \$
Allowance including labor and material for [] fireplace door shall be \$; [] gas log \$
FIREPLACE #2
☐ Masonry; ☐ metal insert with fans; ☐ firebrick
Allowance including labor and material for brick shall be \$ based on (# of) brick per square foot and a cost of \$ per thousand brick.
Allowance including labor and material for stone shall be \$ based on cost of \$ per ton.
☐ Zero clearance, name & model # with fans & fresh air intake; ☐ wood burning, name & model #; ☐ gas log
Colored mortar per sq. ft.; White mortar per sq. ft.
Size of fire pit and face width as per plan.
Face shall be brick ; stone ; tile ; marble
Hearth shall be raised; on floor. Hearth material shall be
Type of mantel; Allowance including labor and material shall be \$
Allowance including labor and material for [] fireplace door shall be \$; [] gas log \$
OTHER INTERIOR MASONRY
Brick arch for cabinetry
Tile and marble part of the Flooring & Tile allowance.
10. PLUMBING
Allowance including labor and material as per attached plumbing proposal \$ or as specified below.

Buyer Initials
Contractor Initials

KITCHEN

Kitchen sink color; type; faucet; disposal
Dishwasher hookup
Ice maker hookup
Others
MAIN BATH
Toilet color; type
Lav color; type
Lav faucet
Tub color;
Tub faucet; Pressure balance [] yes; [] no
Shower color;
Shower faucet; Pressure balance [] yes; []no
MASTER BATH
Toilet color type
Lav colortype
Lav faucet
Tub color;
Tub faucet; Pressure balance ☐ yes; ☐ no
Whirlpool tub color;
Whirlpool faucet; Pressure balance ☐ yes; ☐ no
Shower color;
Shower faucet; Pressure balance ☐ yes; ☐ no
BATH
Toilet color type
Lav color type

	Buyer Initials Contractor Initials
Lav faucet	Contractor Minus
Tub color;	
Tub faucet; Pressure balance 🗌 yes; 🔲 no	
Shower color;	
Shower faucet; Pressure balance 🗌 yes; 🔲 no	
1/2 BATH	
Toilet color type	
Lav color type	
Lav faucet	
LAUNDRY ROOM	
Laundry sink color type	
Laundry faucet	
Laundry hookup	
GARAGE	
Garage floor drain	
Hot and cold water hookups	
Soak tub	
Other	
BASEMENT	
Allowance including labor and material for basement rough-in of ⊠ stool; ⊠ lav; ⊠ shower ⊠ floor drains, # of; □ condensate drains; ⊠ sump pump shall be \$INCLUDED	;
Water heater shall be capacity $\underline{40}$ gallons and \Box LP; $oxtime$ natural gas; $oxtime$ electric; \Box ponatural draft venting; $oxtime$ recirculating hot water line	ower venting;
The following checked items shall be included: wet bar; water softener; soak tub	
\boxtimes Hot and cold water faucets and drain for washer shall be provided, ${f 2}$ outside faucets stexterior of the home.	nall be installed on the
ACCESSORIES / MIRRORS / SHOWER DOORS	
Plumbing accessories included: Faucets, towel bar, toilet tissue holder, curtain rod. The chrome plated types normally used by contractor	ese shall be standard

Contractor Initials
Allowance including labor and material for mirrors shall be \$
Allowance including labor and material for shower door(s) shall be \$
WELL AND SEPTIC
Allowance including labor and material for well and well pump shall be \$
Allowance including labor and material for septic system shall be \$ conventional; mound; holding tank
11. HEATING
Allowance including labor and material as per attached heating proposal \$ or as specified below.
Furnace brand, efficiency AFUE; _ sealed combustion; _ non-sealed combustion
☐ Gas; ☐ electric; ☐ propane (buyers obligated to have propane tank set and have line & regulator run to house)
Other
Air conditioning brand; efficiency SEER
Air purifier
Humidifier
☐ Thermostat
Zoning
Outside air
Allowance including labor and material for gas piping for \square range; \square dryer; \square fireplace; \boxtimes water heater; \square furnace; \square garage furnace; \square to patio; \square other $___$ shall be $\underline{\$}$
Allowance including labor and material for special ventilation systems shall be \$
Allowance including labor and material for radiant heat shall be \$
Allowance including labor and material for dryer venting shall be \$INCLUDED
Allowance including labor and material for range venting shall be \$
Allowance including labor and material for clothes chute shall be \$
12. ELECTRICAL

Buyer Initials

Buyer Initials	· · · · · · · · · · · · · · · · · · ·
Contractor Init	ials

ELECTRICAL WIRING
Number of receptacle openings (electrical boxes) included
Number of single pole circuits
220 outlets
AMP capacity shall be
Outside receptacles number of GFI circuits included
Type of switches; ☐ rocker; ☐ toggle. Color; ☐ ivory; ☐ white; ☐ almond
Exhaust fans
Recessed ceiling fixtures Allowance shall be \$
☐ Well pump wiring; ☒ smoke detectors; ☒ carbon monoxide detector; ☐ under counter lighting
Allowance for lighting fixture installation shall be \$
MISCELLANEOUS WIRING
Phone jacks;
☐ Intercom/sound systems; ☐ Security systems
LIGHTING
Allowance for light fixtures shall be \$ This allowance to include all fixtures, interior and exterior, closet lights, chimes, bulbs, dimmer switches, and tax.
13. INSULATION
Exterior of basement walls shall be 1" DOW FOAM
Interior of basement walls shall be
Under basement floor shall be
Box sills shall be R-19
Sidewalls shall be R-19 with moisture barrier.
Ceiling shall be R-30

Garage walls shall be _____

	Buyer Initials
Garage ceiling shall be	Contractor Initials
Interior soundproofing	
14. FINISH OF INTERIOR WALLS	
Finish walls and ceilings shall be: one coat thin wall plaster; texture	
two coat thin wall plaster; texture	
drywall; texture	
Rooms or ceilings done in a different texture shall be an extra charge.	
15. PAINTING	
All rooms shall be painted.	
All rooms shall be done one color unless specified <u>TBD</u>	
Additional charge for painting rooms and/or ceilings choice of separate colors per room material.	\$;
Wall papering	
The finishing of interior woodwork shall be a five-step process, consisting of staining, sealing and putty nail holes.	g, sanding, finish coat
Woodwork to be painted Due to naturally occurring shrinkage and expansion, painted surfaces may require touch up a maintenance or touch up work to painted areas resulting from shrinkage or expansion is newertanty.	
Woodwork to be stained <u>TBD</u> Color of stain is to match kitchen cabinets or buyer's sample. There is no warranty relatin variations of cabinetry, doors, molding and other woodwork due to the fact that the nature of vin a certain degree of shade and grain variation. Due to naturally occurring shrinkage and exprequire touch up and maintenance. Any maintenance or touch up work to areas resulting expansion is not covered under the warranty.	vood and stains result pansion, surfaces may
Decks (if applicable) shall be unfinished.	
All exterior products shall have coats of paint. Wood siding that is stained, shall have _	coat(s) of stain.

16. INTERIOR TRIM

Base; type MAPLE style COLONIAL width 2 3/4"

	Buyer Initials Contractor Initials
Casing; type MAPLE style COLONIAL width 2 3/4"	
Jamb; type BIRCH VEENER style FLUSH width 4 9/16"	
Stops; type BIRCH style COLONIAL width 1 1/4	
Doors; type <u>PINE</u> style <u>SIX PANEL</u>	
Posts or columns; quantity type style finish	
☐ Beams;	
Crown moldings; type style width LF	
Wainscoat; type style width LF	
Chair rail; type style width LF	
Beauty moldings; type style width LF	
☐ Tongue & groove paneling; ☐ walls; ☐ ceiling; type style width	LF
Plate rail; type style width LF	
Glass French doors; quantity location type style width	
Allowance including labor and material for closet shelving constructed of shall be	\$
Allowance including labor and material for stairs shall be \$	
Balister; type style	
Newel post; type style	
☐ Handrail; type style ☐ post to post; ☐ over the post; ☐ end caps; ☐ solid treads; ☐ dress stringer	rs;
Interior wrought iron	
Special items	
17. CABINETS	
Allowance including labor, material and installation for all cabinets including kitchen and vanities, bookcases, hutches, bar cabinets, laundry, soak tub vanities, whirlpool front, surround, countertops, hardware, appliance panels, etc. shall be \$	

Countertop shall be ☑ plastic laminate; ☐ solid surface; ☐ natural stone; ☐ wood or equal quality.

☐ Kitchen soffits _____

Contractor Initials
Additional soffits
All vinyl areas shall have underlayment.
All tile floor areas shall have underlayment.
Allowance including labor and material for underlayment ☐ is; ☒ is not included in flooring & tile allowance.
Allowance including labor and material for carpeting shall be \$ and shall be in the following area(s)
Allowance including labor and material for tile and/or other hard surface floors shall be \$ and shall be in the following area(s)
Allowance including labor and material for hardwood floors shall be \$ and shall be in the following area(s)
Allowance including labor and material for vinyl shall be \$\ and shall be in the following area(s) (NOTE: Due to naturally occurring shrinkage and expansion of the underlayment, underlayment and flooring seams may become visible and are not covered under the warranty.)
TILE (other than floor)
☐ Backsplashes; ☐ countertops; ☐ fireplace surrounds; ☐ showers; ☐ tub decks; ☐ other
Allowance including labor and material for tile other than floor shall be \$
Total allowance for labor and material for all floor covering and tile as specified above shall be \$
19. HARDWARE
Allowance for material for doorknobs and locks shall be \$
Doorknobs; brand style finish
Front entry hardware; brand style finish
Hinge finish
Other
20. APPLIANCES
☐ Microwave; ☐ Wall oven; ☐ Range; ☐ Cook top; ☐ Range hood; ☐ Trash
compactor : Refrigerator : Under counter refrigerator : Dishwasher : Washer

Buyer Initials

	Buyer Initials
; Dryer; Wine system;	Contractor Initials Central vacuum system;
Hidden ironing board	
Allowance including material and installation for appl	iances shall be \$
Allowance including labor and material for appliance	venting shall be \$N/A
<u>21. S</u>	PECIAL ITEMS
Finished area in basement	
Window treatments	
Special items not mentioned in specification or show	n on plan:
Any spaces, which are not filled in, do not apply and	are not included.
	tract price, if necessary, due to price changes from our is more than 30 days from the proposal date. Any increases
The buyers have read all the above specifications an	d are in agreement with them.
	BUYER(S):
	Signature Name Typed: Date:
	Signature Name Typed: Date: CONTRACTOR: Landmark Real Estate & Dev., Inc.
	Signature Name Typed: by KEITH E. GAROT, Coach Builders LLC Date: